

PARIS MIRROR

PRODUCT SPECIFICATION

SKU :ACRY42423000D/ACRY42426000D

ILLUMINATED MIRROR
ACRYLIC

42 X 42 in
1067 X 1067 mm

FEATURES AND BENEFITS

- LED TECHNOLOGY
- HANG HORIZONTALLY - VERTICALLY
- ENERGY EFFICIENT
- SUPER BRIGHT 7440 LUMENS CRI 90+
- DIMMABLE WITH ANY STANDARD MLV/ TRIAC DIMMER WALL SWITCH
- UL CERTIFIED
- DURABLE (UP TO 120 000 HOURS)
- 5 YEARS WARRANTY



AVAILABLE OPTIONS

- 6000k LED
- 3000k LED
- CCT LED 2700-6000k
- RGBW LED

LIGHTING SPECIFICATION

- DIMENSIONS : 42x42 in
- WEIGHT : 45 POUNDS (LBS)
- IP RATING: 44
- WATTS: 83
- LUMENS: 7440
- INPUT VOLTAGE: 110V
- CRI: 90+

SAFETY SPECIFICATION

- ENTIRE ASSEMBLY MEETS UL/cUL STANDARDS
- INTERNATIONAL CERTIFICATIONS
- SAFETY - BACKED MIRROR

PARIS MIRROR

PRODUCT SPECIFICATION


SKU :ACRY42423000D/ACRY42426000D

ILLUMINATED MIRROR ACRYLIC

42 X 42 in
1067 X 1067 mm

INSTALLATION & AFTER CARE INSTRUCTIONS:

- 110V HARD WIRED ELECTRICAL CONNECTION
- Z BAR INCLUDED
- MIRROR SHOULD BE CONTROLLED BY AN ON/OFF WALL SWITCH
- INSTALLATION WIRING MAY BE DIFFERENT WITH MIRRORS EQUIPPED WITH ADDITIONAL OPTIONS.



Front

Profile

Back

MODELS :

Base model	Kelvin temperature	Dimensions	Power requirements
ACRY42423000D	3000K	42"W x 42"H x 3.5"D (1067mm x 1067mm x 89mm)	110 VAC , 83W
ACRY42426000D	3000K	42"W x 42"H x 3.5"D (1067mm x 1067mm x 89mm)	110 VAC , 83W

PARIS MIRROR

PRODUCT SPECIFICATION


SKU :ACRY42423000D/ACRY42426000D

ILLUMINATED MIRROR ACRYLIC

42 X 42 in
1067 X 1067 mm

INSTALLATION & AFTER CARE INSTRUCTIONS:

- 110V HARD WIRED ELECTRICAL CONNECTION
- Z BAR INCLUDED
- MIRROR SHOULD BE CONTROLLED BY AN ON/OFF WALL SWITCH
- INSTALLATION WIRING MAY BE DIFFERENT WITH MIRRORS EQUIPPED WITH ADDITIONAL OPTIONS.



Front

Profile

Back

MODELS :

Base model	Kelvin temperature	Dimensions	Power requirements
ACRY42423000D	3000K	42"W x 42"H x 3.5"D (1067mm x 1067mm x 89mm)	110 VAC , 83W
ACRY42426000D	6000K	42"W x 42"H x 3.5"D (1067mm x 1067mm x 89mm)	110 VAC , 83W